

Crold

• downloading [(403)] the file and the associated virus-free certificate, said virus-free certificate comprising a file signature [(207)] for certifying that the file is declared virus-free by a virus-free certificate authority [(102)].

In claim 2, line 1, delete "the preceding claim" and insert -- claim 1 -; line 3, delete "(302)".

- 3. (Amended) The method according to [any one of the preceding claims] <u>claim 1</u>
 wherein the one or plurality of anti-virus requirements further comprise:
 - a list [(301)] of one of a plurality of virus-free certificate authorities to which the issuer [(202)] of the virus-free certificate must belong.
 - 4. (Amended) The method according to [any one of the preceding claims] <u>claim 1</u> wherein the one or plurality of anti-virus requirements further comprise:
 - a virus-free certificate type [(304)];
 - a virus-free certificate proxy [(305)] that can be used by the file server for requesting a virus-free certificate when no virus-free certificate is locally available.
- 5. (Amended) The method according to [any one of the preceding claims] <u>claim 1</u> comprising the further steps of:
- 3 If no certificate satisfies the virus-free certificate requirements:
- receiving [(412)] from the file server a list of available virus-free certificates;
- 5 if a certificate is accepted by the client system:
- selecting [(413)] from the list an available virus-free certificate for the file;
- o downloading [(404)] the file and the selected virus-free certificate[;].

3

4

1	6. (Amended) The method according to [any one of the preceding claims] claim 1
2	comprising the further steps of:
3	if no certificate is accepted by the client system and if the virus-free certificate request
- 4	does not comprise a virus-free certificate authority proxy:
5	 downloading [(406)] the file without virus-free certificate;
6	• requesting [(407)] a virus-free certificate to a default virus-free certificate
7	authority.
1	7. (Amended) A [system, more particularly a] client system [(100)], for carrying out the
2	method according to [any one of claims 1 to 6] claim 1.
1	9. (Amended) A method, for use in a file server [(101)], for downloading to client system
2	[(100)] a file and an associated virus-free certificate [(200)] certifying that the file is
3	virus-free, comprising the steps of:
4.	• receiving [(401)] a request from a client system for a virus-free certificate
5	associated with a file to download to said client system, said request comprising
6	one or a plurality of requirements [(301307)] for said virus-free certificate;
7	• downloading [(403)] the file and the associated virus-free certificate, said
8	virus-free certificate comprising a file signature [(207)] for certifying that the file
9	is declared virus-free by a virus-free certificate authority [(102)].
1	10. (Amended) The method according to [the preceding] claim 9 wherein the step of
2	receiving a request from a client system for a virus-free certificate associated with a file to
3	download to said client system, comprises the further steps of:
4	• determining [(402)] whether a virus-free certificate for the file satisfies the
5	virus-free certificate requirements comprised in the request;

73 tonungon coorda

6

1

2

3

4

5

6

7

8

4

5

- If a virus-free certificate for the file satisfies the virus-free certificate requirements comprised in the request:
- downloading [(403)] the file and the associated virus-free certificate.
- 1 11. (Amended) The method according to [any one of claims 9 to 10] <u>claim 9</u> wherein the 2 step of receiving a request from a client system for a virus-free certificate associated with 3 a file to download to said client system, comprises the further steps of:
- determining [(400)] whether a virus-free certificate is requested for the file;

 If no virus-free certificate is requested for the file:
 - downloading [(404)] the file without associated virus-free certificate.
 - 12. (Amended) The method according to [any one of claims 9 to 11] <u>claim 9</u> wherein the step of receiving a request from a client system for a virus-free certificate associated with a file to download to said client system, comprises the further steps of:
 - determining [(402)] whether a virus-free certificate for the file satisfies the virus-free certificate requirements comprised in the request;
 - If no virus-free certificate for the file satisfies the virus-free certificate requirements comprised in the request:
 - sending [(412)] a list of available virus-free certificates for this file.
- 1 13. (Amended) The method according to [the preceding claim] claim 12 wherein the step 2 of sending a list of available virus-free certificates for this file comprises the further steps 3 of:
 - receiving [(413)] a reply from the client system indicating whether an available virus-free certificate is accepted or not;
- 6 If an available virus-free certificate is accepted by the client system:
- downloading [(404)] the file and the accepted virus-free certificate;

FR9-1999-0112-US1 PRELIMINARY AMENDMENT

2

8	If no virus-free certificate is accepted by the client system:
9	• determining [(405)] whether a virus-free certificate authority proxy is defined in
10	the virus-free certificate request;
11	If a virus-free certificate authority proxy is defined in the virus-free certificate request:
12	• requesting [(409)] to this virus-free certificate authority proxy a virus-free
13	certificate for the file.
1	14. (Amended) The method according to [any one of claims 9 to 13] claim 9 wherein the
. 2	one or plurality of virus-free certificate requirements comprise:
3 13	• a list [(302)] of one or a plurality of anti-virus programs that must have been
ngd 4	executed on the file to download.
ア 「 「 「 「 「 「 」 」 2 「 」 3	15. (Amended) The method according to [any one of claims 9 to 14] claim 9 wherein the
1 2	one or plurality of anti-virus requirements further comprise:
	• a list [(301)] of one of a plurality of virus-free certificate authorities to which the
" 4 0 2 1 0 2	issuer [(202)] of the virus-free certificate must belong;
일 일 1	16. (Amended) The method according to [any one of claims 9 to 15] claim 9 wherein the
<u> </u>	one or plurality of anti-virus requirements further comprise:
3	• a virus-free certificate type [(304)];
4	• a virus-free certificate proxy [(305)] that can be used by the file server for
5	requesting a virus-free certificate when no virus-free certificate is locally
6	available[;].
1	17. (Amended) A system, more particularly a file server system [(101)], for carrying out

the method according to [claims 9 to 16] claim 9.

FR9-1999-0112-US1 PRELIMINARY AMENDMENT

mamoon.cocyco

1

Please add the following new claims:

1	19. The method according to claim 2 wherein the one or plurality of anti-virus
2	requirements further comprise:
3	• a list of one of a plurality of virus-free certificate authorities to which the issuer of
4	the virus-free certificate must belong.
1	20. The method according to claim 19 wherein the one or plurality of anti-virus
2	requirements further comprise:
. 3	a virus-free certificate type;
4	• a virus-free certificate proxy that can be used by the file server for requesting a
5	virus-free certificate when no virus-free certificate is locally available.
1	21. The method according to claim 20 comprising the further steps of:
2	If no certificate satisfies the virus-free certificate requirements:
3	 receiving from the file server a list of available virus-free certificates;
4	if a certificate is accepted by the client system:
5	• selecting from the list an available virus-free certificate for the file;
6	• downloading the file and the selected virus-free certificate.
1	22. The method according to claim 21 comprising the further steps of:
2	if no certificate is accepted by the client system and if the virus-free certificate request
3	does not comprise a virus-free certificate authority proxy:
4	• downloading the file without virus-free certificate;
5	• requesting a virus-free certificate to a default virus-free certificate authority.

23. A client system for carrying out the method according to claim 22.

1.40mmaon ogozoo

1	24. The method according to claim 23 wherein the step of receiving a request from a
2	client system for a virus-free certificate associated with a file to download to said client
3	system, comprises the further steps of:
4	• determining whether a virus-free certificate is requested for the file;
5	If no virus-free certificate is requested for the file:
6	downloading the file without associated virus-free certificate.
1	25. The method according to claim 24 wherein the step of receiving a request from a
2	client system for a virus-free certificate associated with a file to download to said client
, 3	system, comprises the further steps of:
4	• determining whether a virus-free certificate for the file satisfies the virus-free
5	certificate requirements comprised in the request;
6	If no virus-free certificate for the file satisfies the virus-free certificate requirements
7	comprised in the request:
8	• sending a list of available virus-free certificates for this file.
1	26. The method according to claim 25 wherein the step of sending a list of available
2	virus-free certificates for this file comprises the further steps of:
3	• receiving a reply from the client system indicating whether an available virus-free
4	certificate is accepted or not;
5	If an available virus-free certificate is accepted by the client system:
6	 downloading the file and the accepted virus-free certificate;
7	If no virus-free certificate is accepted by the client system:
8	• determining whether a virus-free certificate authority proxy is defined in the
9	virus-free certificate request;
10	If a virus-free certificate authority proxy is defined in the virus-free certificate request:

POSTROOF DOOR OO

4

FR9-1999-0112-US1 PRELIMINARY AMENDMENT

11	• requesting to this virus-free certificate authority proxy a virus-free certificate for
12	the file.
1	27. The method according to claim 26 wherein the one or plurality of virus-free
2	certificate requirements comprise:
3	• a list of one or a plurality of anti-virus programs that must have been executed on
4	the file to download.
1	28. The method according to claim 27 wherein the one or plurality of anti-virus
2	requirements further comprise:
t ₃	 a list of one of a plurality of virus-free certificate authorities to which the issuer of
4	the virus-free certificate must belong.
1	29. The method according to claim 28 wherein the one or plurality of anti-virus
2	requirements further comprise:
3	a virus-free certificate type;
4	• a virus-free certificate proxy that can be used by the file server for requesting a
5	virus-free certificate when no virus-free certificate is locally available.
1	30. A file server system for carrying out the method according to claim 29.
1	31. A computer program product for downloading from a file server a file and an
2	associated virus-free certificate certifying that the file is virus-free, said computer
3	program product comprising a computer usable medium having computer readable

program code thereon, said computer readable program code comprising:

noscept contro

5	computer readable program code means for sending a request to a file server for a
6	virus-free certificate associated with a file to download from said file server, said request
7	comprising one or a plurality of requirements for said virus-free certificate;
8	computer readable program code means for downloading the file and the
9	associated virus-free certificate, said virus-free certificate comprising a file signature for
10	certifying that the file is declared virus-free by a virus-free certificate authority.
1	32. A computer program product according to claim 31 wherein the one or plurality of
2	virus-free certificate requirements comprise a list of one or a plurality of anti-virus
3	programs that must have been executed on the file to download.
1	33. A computer program product for downloading files as in claim 31 wherein the one or
2	plurality of anti-virus requirements further comprise a list of one of a plurality of
3	virus-free certificate authorities to which the issuer of the virus-free certificate must
4	belong.
1	34. A computer program product for downloading files as in claim 31 wherein the one of
2	plurality of anti-virus requirements further comprise:
3	a virus-free certificate type;
4	a virus-free certificate proxy that can be used by the file server for requesting a
5	virus-free certificate when no virus-free certificate is locally available.
1	35. A computer program product as in claim 31 further comprising:
2	computer readable program code means for receiving from the file server a list of
3	available virus-free certificates if no certificate satisfies the virus-free certificate
4	requirements; and

HIGHTON DODYOD

FR9-1999-0112-US1 RELIMINARY AMENDMENT

computer readable program code means for selecting from the list an available virus-free certificate for the file and downloading the file and the selected virus-free certificate, if a certificate is accepted by the client system.

36. A computer program product as in claim 31 further comprising:

computer readable program code means for downloading the file without virus-free certificate and requesting a virus-free certificate to a default virus-free certificate authority, if no certificate is accepted by the client system and if the virus-free certificate request does not comprise a virus-free certificate authority proxy.

37. A computer program product for downloading from a file server a file and an associated virus-free certificate certifying that the file is virus-free, said computer program product comprising a computer usable medium having computer readable program code thereon, said computer readable program code comprising:

computer readable program code means for receiving a request from a client system for a virus-free certificate associated with a file to download to said client system, said request comprising one or a plurality of requirements for said virus-free certificate; and

computer readable program code means for downloading the file and the associated virus-free certificate, said virus-free certificate comprising a file signature for certifying that the file is declared virus-free by a virus-free certificate authority.

38. A computer program product as in claim 37 wherein the computer readable program code means for receiving a request from a client system for a virus-free certificate associated with a file to download to said client system, further comprises:

HYCOULD TOOLS TO THE STATE OF T

FR9-1999-0112-US1 PRELIMINARY AMENDMENT

computer readable program code means for determining whether a virus-free
certificate for the file satisfies the virus-free certificate requirements comprised in the
request; and
computer readable program code means for downloading the file and the
associated virus-free certificate if a virus-free certificate for the file satisfies the virus-free
certificate requirements comprised in the request.

39. A computer program product as in claim 37 wherein the computer readable program code means for receiving a request from a client system for a virus-free certificate associated with a file to download to said client system, further comprises:

computer readable program code means for determining whether a virus-free certificate is requested for the file; and

computer readable program code means for downloading the file without associated virus-free certificate if no virus-free certificate is requested for the file.

40. A computer program product as in claim 37 wherein the computer readable program code means for receiving a request from a client system for a virus-free certificate associated with a file to download to said client system, further comprises:

computer readable program code means for determining whether a virus-free certificate for the file satisfies the virus-free certificate requirements comprised in the request; and,

computer readable program code means for sending a list of available virus-free certificates for this file if no virus-free certificate for the file satisfies the virus-free certificate requirements comprised in the request.

YMESS DSAYAD

1	41. A computer program product as in claim 37 wherein computer readable program
2	code means for sending a list of available virus-free certificates for this file further
3	comprises:
4	computer readable program code means for receiving a reply from the client
5	system indicating whether an available virus-free certificate is accepted or not; and,
6	computer readable program code means for downloading the file and the accepted
7	virus-free certificate if an available virus-free certificate is accepted by the client system;
8	and,
9	computer readable program code means for determining whether a virus-free
0	certificate authority proxy is defined in the virus-free certificate request if no virus-free
1	certificate is accepted by the client system; and
2	computer readable program code means for requesting to this virus-free certificate
3	authority proxy a virus-free certificate for the file if a virus-free certificate authority proxy
4	is defined in the virus-free certificate request.
1	42. A computer program product as in claim 37 wherein the one or plurality of virus-free
2	certificate requirements comprise a list of one or a plurality of anti-virus programs that
3	must have been executed on the file to download.
1	43. A computer program product as in claim 37 wherein the one or plurality of anti-virus
2	requirements further comprise a list of one of a plurality of virus-free certificate
3	authorities to which the issuer of the virus-free certificate must belong.
1	44. The computer program product as in claim 37 wherein the one or plurality of
2	anti-virus requirements further comprise:
3	a virus-free certificate type; and